




“my  
Reference,”

CREATION 30

# CREATION 30




	CREATION 30	CREATION 30 CLIC	SKIRTINGS DESIGN MATCHING
AMADOR	■	■	■
AMARANTE	■	■	■
ARENA	■	■	■
ASPEN	■	■	■
BALLERINA	■	■	■
BOSTONIAN OAK	■	■	■
BOSTONIAN OAK BEIGE	■	■	■
BOSTONIAN OAK GREY	■	■	■
BOSTONIAN OAK HONEY	■	■	■
BROWNIE	■	■	■
BUFFALO	■	■	■
CAMBRIDGE	■	■	■
CARMEL	■	■	■
CARRARE	■	■	■
CEDAR BROWN	■	■	■
CEDAR PURE	■	■	■
CEMENTINE BUCKSKIN	■	■	■
CEMENTINE DENIM	■	■	■
DURANGO TAUPE	■	■	■
HONEY OAK	■	■	■
LONG BOARD	■	■	■
MALUA BAY	■	■	■
MICHIGAN	■	■	■
NORVEGIAN STONE	■	■	■
OXFORD	■	■	■
PARKER STATION	■	■	■
QUARTET	■	■	■
QUARTET FAUVE	■	■	■
RANCH	■	■	■
REGGIA IVORY	■	■	■
RIVERSIDE	■	■	■
RUSTIC OAK	■	■	■
SILVER CITY	■	■	■
STACCATO	■	■	■
SWISS OAK BEIGE	■	■	■
SWISS OAK CASHMERE	■	■	■
SWISS OAK GOLDEN	■	■	■
SWISS OAK PEARL	■	■	■
SWISS OAK SMOKED	■	■	■
TWIST	■	■	■
WHITE LIME	■	■	■
ALAMO ASH	■		■
ALAMO SAND	■		■
BACK STREET	■		■
CHEVRON BUCKWHEAT	■		■
CHEVRON HURRICANE	■		■
NORTHWOOD MACCHIATO	■		■
NORTHWOOD MOKACCINO	■		■
PASHMINA CLOUD	■		■
PASHMINA STORM	■		■
QUARTET HONEY	■		■
REGGIA TAUPE	■		■
ROYAL OAK BLOND	■		■
ROYAL OAK COFFEE	■		■
ROYAL OAK GOLD	■		■
TIMBER CAMEL	■		■
TIMBER GOLD	■		■
TIMBER RUST	■		■

■ : Available

LVR on [gerflor.com](http://gerflor.com)

## CREATION 30 CLIC



IDEAL **FOR RENOVATION**

**5X** MORE RESISTANT

**30%** FASTER


## CREATION 30



IDEAL **NEW PROJECT**

For more information please refer to Gerflor's installation guidelines

**THE BEST CLIC PRODUCT, EVER !**



**PATENTED**



**VISUALIZE YOUR REFERENCE**



[interiordesigner.gerflor.com](http://interiordesigner.gerflor.com)

**DESIGN SHADE VARIATION**



Light



Medium



High

CREATION 30	CREATION 55	CREATION 70
0,30*	0,55*	0,70*
TRAFFIC & RESISTANCE		

\*Wear layer (mm)

**PACKAGING**

Format (mm)	m <sup>2</sup> / box	m <sup>2</sup> / pallet
<b>CREATION 30</b>		
184 x 1219	3.36	241.92
184 x 1219*	3.14	251.2
230 x 1500	3.80	250.8
610 x 610	3.35	234.5
457 x 914	3.76	248.16
<b>CREATION 30 CLIC</b>		
214 x 1239	2.12	114.5
242 x 1461	2.47	118.6
391 x 729	2.28	116.3

*\*CHEVRON design only*




More details on [gerflor.com](http://gerflor.com)

**CREATION 30**  
samples inside.

For **CREATION 30 CLIC**,  
please order samples.

Non-contractual imagery

# CREATION 30 CLIC



## PUR+ MATT



Easy maintenance

## 4D DESIGN

### MATT SURFACE




Natural look

### CRISTAL WEAR LAYER



High definition design & color

### STRUCTURED EMOSS & BEVEL



Ultra realistic surface

### 2M PATTERN DESIGN

Wide variety of planks or tiles

## DUO CORE TECHNOLOGY

### 1 RESILIENT COMFORT CORE




Noise absorption



Soft underfoot

### 2 RIGID CORE



The best stability



No adhesive




Renovation ceramic < 4 mm joint

## CLIC REVOLUTION 100% VERTICAL



30% Faster




Durable clic system



Heavy load resistance



Waterproof joints



Easy to change a plank



**100% REACH**  
Phthalate free  
(except recycled content)



**100% RECYCLABLE**  
55% recycled content



**TVOC emissions below detection level**  
(TVOC < 10ug after 28 days)  
No formaldehyde

For more information please refer to Gerflor's installation guidelines



**30% FASTER**



“With Clic Revolution, we lay out the planks, edge over edge, and we install it. It’s so simple, even when it comes to fit angles!”

Steve - **Installer**

**5X MORE RESISTANT**

**Heavy load resistance**




BREAK  
120000  
CYCLES

**5X  
MORE  
RESISTANT!**

BREAK  
25000  
CYCLES

CLIC  
REVOLUTION

COMPETITORS



Castor Chair Test

**Durable clic system**



**5X MORE RESISTANT!**



CLIC  
REVOLUTION

COMPETITORS



Locking Strength Test



**UNDERLAY**

**GERFLOR ACOUSTIQUE / 15 dB**

More details on [gerflor.com](http://gerflor.com)



Format: 1 m x 15 lm



**UNDERLAY**

**GERFLOR SILENCE PLUS / 19 dB**


More details on [gerflor.com](http://gerflor.com)



Format: 1.18 m x 8.5 lm

**SKIRTINGS**

DESIGN MATCHING




**ENTRANCE MAT**



**ROMUS TOOLS**

Anti-bounce mallet  
Fitter Knife - LVT Roller



# CREATION 30



610 x 610 mm




457 x 914 mm



184 x 1219 mm



230 x 1500 mm



## PUR+ MATT



Easy maintenance

## 4D DESIGN

### MATT SURFACE




Natural look

### CRISTAL WEAR LAYER



High definition design & color

### STRUCTURED EMBOSS & MICRO BEVEL



Ultra realistic surface

### DESIGNS

Wide variety of planks or tiles

## RESILIENT COMFORT CORE



Noise absorption



Soft underfoot

## DIAMOND BACKLAYER


### BODY & STRENGTH



Easy handling

### BACK EMBOSS

Better subfloor adhesion



Easy positioning

**100% REACH**  
Phthalate free  
(except recycled content)



**100% RECYCLABLE**  
35% recycled content



**TVOC emissions below detection level**  
(TVOC < 10µg after 28 days)  
No formaldehyde



For more information please refer to Gerflor's installation guidelines



**UNDERLAY**  
**GERFLOR SMART FIX / 16 dB**  
More details on [gerflor.com](http://gerflor.com)



Format: 1 m x 7.5 lm

**SKIRTINGS**  
DESIGN MATCHING



Also available in white  
can be painted over





“my  
Reference,”



## 30 years experience

Since 1985

## Manufacturer

3 LVT Factories

## World Class Logistics

12 Logistics Hubs

## Gerflor Design Centre

Exclusive Designs



**“Serenity,,**

Leila - **End User**



**“Time saving,,**

Mika - **Installer**



**“Unique Design,,**

Pierre - **Architect**



**“Confidence,,**

Claire - **Store Manager**



**“Reliability,,**

Lucas - **Distributor**

Gerflor  
is our

**Reference**



SWISS OAK BEIGE



SWISS OAK CASHMERE



SWISS OAK PEARL



SWISS OAK SMOKED



SWISS OAK GOLDEN



# Swiss Oak Collection



SWISS OAK GOLDEN 0796

 184 x 1219 |  214 x 1239  
230 x 1500 | 242 x 1461 



SWISS OAK BEIGE 0848

 184 x 1219 |  214 x 1239  
230 x 1500 | 242 x 1461 



SWISS OAK CASHMERE 0795

 184 x 1219 |  214 x 1239  
230 x 1500 | 242 x 1461 



SWISS OAK PEARL 0846

 184 x 1219 |  214 x 1239  
230 x 1500 | 242 x 1461 



SWISS OAK SMOKED 0847

 184 x 1219 |  214 x 1239  
230 x 1500 | 242 x 1461 




# Bostonian Oak Collection



BOSTONIAN OAK HONEY 0851

 184 x 1219  
230 x 1500

 214 x 1239  
242 x 1461



BOSTONIAN OAK 0871


 184 x 1219

 214 x 1239  
242 x 1461



BOSTONIAN OAK BEIGE 0853


 184 x 1219  
230 x 1500

 214 x 1239  
242 x 1461



BOSTONIAN OAK GREY 0855

 184 x 1219  
230 x 1500


 214 x 1239  
242 x 1461








BOSTONIAN OAK HONEY



BOSTONIAN OAK BEIGE



BOSTONIAN OAK GREY



BOSTONIAN OAK





RANCH



ALAMO ASH



AMADOR



OXFORD



ALAMO ASH 0737



184 x 1219



RANCH 0456

184 x 1219  
230 x 1500

214 x 1239  
242 x 1461



AMADOR 0447

184 x 1219

214 x 1239



OXFORD 0061

184 x 1219

214 x 1239







MALUA BAY 0448

 184 x 1219 |  214 x 1239 



ARENA 0060

 184 x 1219 |  214 x 1239 



WHITE LIME 0584

 184 x 1219 |  214 x 1239 





MALUA BAY



ARENA



WHITE LIME





TIMBER GOLD



TIMBER CAMEL



TIMBER RUST





TIMBER GOLD 0874

 184 x 1219



TIMBER CAMEL 0742

 184 x 1219



TIMBER RUST 0741

 184 x 1219







CHEVRON BUCKWHEAT 0811



 184 x 1219



CHEVRON HURRICANE 0809



 184 x 1219







CHEVRON BUCKWHEAT



CHEVRON HURRICANE





CEDAR PURE



CEDAR BROWN



CEDAR BROWN





CEDAR PURE 0849

 230 x 1500 |  242 x 1461 



CEDAR BROWN 0850

 230 x 1500 |  242 x 1461 



TWIST 0504

 184 x 1219 |  214 x 1239 



LONGBOARD 0455

 184 x 1219 |  214 x 1239 



AMARANTE 0579

 184 x 1219 |  214 x 1239 



HONEY OAK 0441

 184 x 1219 |  214 x 1239 





TWIST



LONG BOARD



HONEY OAK



AMARANTE





CAMBRIDGE



QUARTET HONEY



BALLERINA



QUARTET FAUVE





CAMBRIDGE 0465

 184 x 1219

|  214 x 1239



QUARTET HONEY 0870

 184 x 1219



BALLERINA 0347

 184 x 1219

|  214 x 1239



QUARTET FAUVE 0859

 184 x 1219

|  214 x 1239





NORTHWOOD MACCHIATO 0816

 184 x 1219



NORTHWOOD MOKACCINO 0817

 184 x 1219



ROYAL OAK BLOND 0812

 184 x 1219







NORTHWOOD MOKACCINO



NORTHWOOD MACCHIATO



ROYAL OAK BLOND





BROWNIE



ROYAL OAK COFFEE



MICHIGAN





MICHIGAN 0461



184 x 1219



214 x 1239



BROWNIE 0459



184 x 1219



214 x 1239



ROYAL OAK COFFEE 0740



184 x 1219





ROYAL OAK GOLD 0739



 184 x 1219



QUARTET 0503

 184 x 1219

|  214 x 1239



RUSTIC OAK 0445

 184 x 1219

|  214 x 1239







QUARTET



ROYAL OAK GOLD



RUSTIC OAK





PASHMINA CLOUD



PASHMINA CLOUD



PASHMINA STORM






PASHMINA CLOUD 0747



PASHMINA STORM 0746







ALAMO SAND 0738



184 x 1219



BUFFALO 0457

184 x 1219

214 x 1239



ASPEN 0458

184 x 1219

214 x 1239







BUFFALO



ALAMO SAND



ASPEN





BACK STREET




CEMENTINE DENIM



STACCATO






STACCATO 0476  610 x 610 |  391 x 729 



BACK STREET 0748  457 x 914 



CEMENTINE DENIM 0864

 457 x 914 |  391 x 729 



RIVERSIDE 0436  610 x 610 |  391 x 729 



SILVER CITY 0373  610 x 610 |  391 x 729 



PARKER STATION 0374  610 x 610 |  391 x 729 



NORWEGIAN STONE 0860  457 x 914 |  391 x 729 





RIVERSIDE



PARKER STATION



SILVERCITY



NORVEGIAN STONE





CARRARE



DURANGO TAUPE



REGGIA IVORY





CARRARE 0744

 457 x 914 |  391 x 729 




REGGIA IVORY 0861

 457 x 914 |  391 x 729 



DURANGO TAUPE 0751

 610 x 610 |  391 x 729 



REGGIA TAUPE 0862

 457 x 914 



CARMEL 0618

 457 x 914 |  391 x 729 



CEMENTINE BUCKSKIN 0865

 457 x 914 |  391 x 729 








REGGIA TAUPE

CEMENTINE BUCKSKIN / CARMEL

EXCLUSIVE EMBOSSES FOR ENHANCED DESIGNS  
SURFACES GRAINÉES POUR UNE MATIÈRE TRÈS RÉALISTE  
VERSCHIEDENE EXKLUSIVE OBERFLÄCHENPRÄGUNGEN  
FÜR NOCH REALISTISCHERE DESIGNS





COLOR DESIGN	CODE	EMBOSES / GRAINS / PRÄGUNGEN	CREATION 30 GLUE DOWN	CREATION 30 CLIC
				
AMADOR	0447	SAW EFFECT	•	•
AMARANTE	0579	BRUSHED	•	•
ARENA	0060	SAW EFFECT	•	•
ASPEN	0458	BRUSHED	•	•
BALLERINA	0347	NATURAL	•	•
BOSTONIAN OAK	0871	NATURAL	•	•
BOSTONIAN OAK BEIGE	0853	NATURAL	•	•
BOSTONIAN OAK GREY	0855	NATURAL	•	•
BOSTONIAN OAK HONEY	0851	NATURAL	•	•
BROWNIE	0459	NATURAL	•	•
BUFFALO	0457	BRUSHED	•	•
CAMBRIDGE	0465	NATURAL	•	•
CARMEL	0618	HAMMERED	•	•
CARRARE	0744	STONE	•	•
CEDAR BROWN	0850	NATURAL	•	•
CEDAR PURE	0849	NATURAL	•	•
CEMENTINE BUCKSKIN	0865	STONE	•	•
CEMENTINE DENIM	0864	STONE	•	•
DURANGO TAUPE	0751	HAMMERED	•	•
HONEY OAK	0441	NATURAL	•	•
LONG BOARD	0455	BRUSHED	•	•
MALUA BAY	0448	BRUSHED	•	•
MICHIGAN	0461	BRUSHED	•	•
NORVEGIAN STONE	0860	HAMMERED	•	•
OXFORD	0061	BRUSHED	•	•
PARKER STATION	0374	HAMMERED	•	•
QUARTET	0503	NATURAL	•	•
QUARTET FAUVE	0859	NATURAL	•	•
RANCH	0456	BRUSHED	•	•
REGGIA IVORY	0861	STONE	•	•
RIVERSIDE	0436	HAMMERED	•	•
RUSTIC OAK	0445	BRUSHED	•	•
SILVER CITY	0373	HAMMERED	•	•
STACCATO	0476	PERFORATED	•	•
SWISS OAK BEIGE	0848	NATURAL	•	•
SWISS OAK CASHMERE	0795	NATURAL	•	•
SWISS OAK GOLDEN	0796	NATURAL	•	•
SWISS OAK PEARL	0846	NATURAL	•	•
SWISS OAK SMOKED	0847	NATURAL	•	•
TWIST	0504	NATURAL	•	•
WHITE LIME	0584	SAW EFFECT	•	•
ALAMO ASH*	0737	ALAMO	•	
ALAMO SAND*	0738	ALAMO	•	
BACK STREET	0748	HAMMERED	•	
CHEVRON BUCKWHEAT*	0811	CHEVRON	•	
CHEVRON HURRICANE*	0809	CHEVRON	•	
NORTH WOOD MACCHIATO	0816	BRUSHED	•	
NORTH WOOD MOKACCINO	0817	BRUSHED	•	
PASHMINA CLOUD	0747	STONE	•	
PASHMINA STORM	0746	STONE	•	
QUARTET HONEY	0870	NATURAL	•	
REGGIA TAUPE	0862	STONE	•	
ROYAL OAK BLOND*	0812	ROYAL OAK	•	
ROYAL OAK COFFEE*	0740	ROYAL OAK	•	
ROYAL OAK GOLD*	0739	ROYAL OAK	•	
TIMBER CAMEL	0742	BRUSHED	•	
TIMBER GOLD	0874	BRUSHED	•	
TIMBER RUST	0741	BRUSHED	•	

•: Available / Disponible / Verfügbar

CREATION 30	CREATION 30 CLIC
Design	

DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPTION / DESCRIPCIÓN / DESCRIÇÃO / DESCRIZIONE

Total Thickness / Gesamtdicke / Totale dikte / Épaisseur totale / Espesor total / Essessura total / Spessore totale	EN ISO 24344	mm	2.00	4.50
	ASTM F386-02	inch	0.08	0.18
Thickness of the wearlayer / Dicke der Nutzschrift / Dikte van de slijtlaag / Épaisseur couche d'usure / Espesor capa de uso / Essessura camada de desgaste / Spessore strato di usura	EN ISO 24340	mm	0.30	0.40
	ASTM F410-02	inch	0.01	0.02
Weight / Flächengewicht / Gewicht / Poids / Peso / Peso / Peso	EN ISO 23997	g/m <sup>2</sup>	3460	7385
Size / Format / Afmetingen / Format / Dimensiones / Dimensões / Dimensione	ISO 24342	mm	184x1219 / 230x1500 457x914 / 610x610	214x1239 / 242x1461 391x729
	ASTM F 536	inch	7.25"x48" / 9"x59" 18"x36" / 24"x24"	8.4"x48.7" / 9.5"x57.5" 15.3"x28.7"

CLASSIFICATION / KLASSIFIKATION / CLASSIFICATIE / CLASSIFICATION / CLASIFICACIONES / CLASSIFICAÇÕES / CLASSIFICAZIONI

Norm/Product Specification / Produktnorm / Technische eigenschappen / Norme/Spécification produit / Normas / Normas / Norma prodotto	-	-	EN ISO 10582	EN ISO 10582
	ASTM F 1700-04	-	Class III Type B	Class III Type B
European Classification / Europäische Klassifizierung / Europese classificatie / Classement européen / Classificação europea / Classificação Europeia / Europea	EN ISO 10874	Class	23 - 31	32
Fire Rating / Brandverhalten / Brand classificatie / Classement Feu / Fuego / Fogo / Reazione al fuoco	EN 13 501-1	Class	Bfl-s1	Bfl-s1
Static Electrical Propensity / Begehaufladung / Elektrische eigenschappen / Potentiel de charge / Comportamiento electrostático / Comportamento electrostático / Resistenza elettrica	EN 1815	kV	< 2	< 2
Slip Resistance Wet / Rutschhemmung / Anti-slip / Glissance humide / Deslizamiento húmedo / Escorregamento húmido / Scivolosità umida <sup>1)</sup>	DIN 51130/BGR 181	Class	R10	R10

PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / PERFORMANCE / CUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE

Wear Resistance / Verschleißverhalten / Slijtvastheid / Résistance à l'usure / Abrasión / Abrasão / Resistenza all'abrasione	EN 660.2	mm <sup>3</sup>	≤ 2.0	≤ 2.0
Wear Group / Verschleißgruppe / Groep slijtvastheid / Groupe d'abrasion / Grupo de abrasion / Grupo de abrasão / Gruppo di abrasione	QB 30	group	T	T
Type Binder content / Bindemittelgehalt / Teneur en agent liant / Contenido en ligante / Conteúdo em ligante	ISO 10582	group	I	I
Dimensional stability (norm) / Maßstabilität (norm) / Maatvastheid (norm) / Stabilité dimensionnelle (norme) / Estabilidad Dimensional (Exigencia) / Estabilidade dimensional (normalização) / Stabilità dimensionale (requisito normativo)	EN ISO 23999	%	≤ 0.25	≤ 0.15
Dimensional stability (average measured value) / Maßstabilität (Durchschnittswert) / Stabilité dimensionnelle (valeur moyenne mesurée) / Maatvastheid (gemeten gemiddelde waarde) / Estabilidad Dimensional (Valor medido) / Estabilidade Dimensional (Valor medio) / Stabilità dimensionale (rilevata)	-	%	≤ 0.10	≤ 0.05
Residual Indentation / Resteindruck / Indrukbelasting / Poinçonnement statique rémanent / Punzonamiento / Punçoamento / Imprinta	EN ISO 24343-1	mm	≤ 0.10	≤ 0.10
Impact sound insulation / Trittschallverbesserungsmaß / Geluidsisolatie / Isolation acoustique bruits de chocs / Acústica / Isolamento acústico	EN ISO 717-2	dB	4	4
Room Impact / Raumschall / Loopgeluid / Sonorité à la marche / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar	NF S 31074	dB	77	78
Castor chair test / Stuhllrollenbeanspruchung / Rolweerstand bureaustoelen / Essai de la chaise à roulettes / Determinación del efecto de una silla con ruedas / Resistência a cadeiras de rodas / Resistenza al passaggio di sed (Type W)	ISO 4918	-	OK	OK
Thermal Conductivity / Wärmeleitfähigkeit / Thermische weerstand / Conductivité thermique / Conductividad térmica / Contutividade térmica / Resistenza termica / Värmeledningsmotstånd / Varmemotstånd	EN ISO 10456	W/(m.K)	0.25	0.25
Colour Fastness / Lichtechtheit / Lichtechtheid / Solidité lumière / Resistencia a la luz / Estabilidade das cores / Solidità alla luce	EN 20 105 - B02	degree	≥ 6	≥ 6
Surface Treatment / Oberflächenvergrüung / Oppervlaktebehandeling / Traitement de surface / Tratamiento de superficie / Tratamento de superficie / Trattamento di superficie	-	-	PUR+ Matt	PUR+ Matt
Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische bestendigheid / Résistance aux produits chimiques / Resistencia a los productos químicos / Resistência aos produtos químicos / Resistenza ai prodotti chimici <sup>2)</sup>	EN ISO 26987	-	OK	OK

ENVIRONMENT/INDOOR AIR QUALITY / UMWELT/RAUMLUFTQUALITÄT / ENVIRONNEMENT/QUALITE DE L'AIR INTERIEUR / MEDIO AMBIENTE/CALIDAD INTERIOR DEL AIRE INTERIOR / MEIO AMBIENTE/QUALIDADE DO AR INTERIOR

TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC après 28 jours / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni) / TVOC (28 dagar) / TVOC (28 dager)	ISO 16000-6	µg/m <sup>3</sup>	< 10	< 10
Certification / Zeugnis / Certification / Certificado / Certificação	-	-	-	Floorscore®

CE MARKING / CE KENNZEICHNUNG / EG\_CONFORMITEITSMERK / MARQUAGE CE / MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA

CE	EN 14041	-				
----	----------	---	---	---	---	---

(1) Ramp test with oil / Schiefe Ebene / Plan incliné avec huile

(2) Beständig gegenüber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Säuren und Laugen bei kurzzeitiger Einwirkung.

CREATION, NO FORMALDEHYDE, BETTER INDOOR AIR QUALITY

 <b>COMPOSITION</b> 100% REACH Phthalate Free (except recycled content)	 <b>INDOOR AIR QUALITY</b> TVOC below detection level No Formaldehyde emission	 <b>RECYCLED CONTENT</b> Glue Down: 35% Clic: 55%	 <b>RECYCLABILITY</b> 100%	 <b>INSTALLATION</b> Clic: Adhesive free	 <b>LCA</b> New process: Lowest Carbon Footprint CO <sub>2</sub> emissions/sqm 10 times lower than standard process	 <b>WELLNESS</b> Walking noise reduction: -10dB vs laminate
--	--	---	---	--	---	---

**IMPORTANT:** The information contained in this document is valid from 01/08/2019 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.